

Assigned DOGM File No.: S 1049,020  
DOGM Lead: \_\_\_\_\_

STATE OF UTAH  
DEPARTMENT OF NATURAL RESOURCES  
DIVISION OF OIL, GAS AND MINING  
355 West North Temple  
3 Triad Center, Suite 350  
Salt Lake City, Utah 84180-1203  
(801) 538-5340  
Fax: (801) 359-3940

RECEIVED

JUN 23 1992

DIVISION OF  
OIL GAS & MINING

### NOTICE OF INTENTION TO COMMENCE SMALL MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1987, and the General Rules as promulgated under the Utah Minerals Regulatory Program.

"Small Mining Operations" means mining operations which disturb five or less surface acres at any given time.

\*\*\*\*\*

CREAM MARBLE  
& BLACK MARBLE

#### I. GENERAL INFORMATION (Rule R647-3-104)

1. Name of Claim/Mine: ① Vernon Brown marble ② Cream Marble ③ Black marble
2. Name of Operator/Applicant: Terry Bland  
Company ( ) Corporation ( ) Partnership ( ) Individual ☒
3. Permanent Address: 554 East 11800 St.  
City: Draper State: UT Zip Code: 84020  
Telephone Number: (801) 571-7485
4. Ownership of Land Surface:  
Private (Fee) ☐ Public Domain (BLM) ☐ National Forest (USFS) ☐  
State of Utah ☒ Other: \_\_\_\_\_
5. Ownership of Minerals:  
Private (Fee) ☐ Public Domain (BLM) ☐ National Forest (USFS) ☐  
State of Utah ☒ Other: \_\_\_\_\_

RECEIVED

JUN 23 1992

Utah Mining Claim Number(s): \_\_\_\_\_ DIVISION OF  
OIL GAS & MINING

Utah State Lease Number(s): ML 45643 - ML 45657

6. Have the above owners been notified in writing? Yes X No \_\_\_\_\_  
If no, why not? \_\_\_\_\_

7. Does the operator have legal right to enter and conduct mining operations on the land covered by this notice? Yes X No \_\_\_\_\_

## II. PROJECT LOCATION & MAP (Rule R647-3-105)

1. Project Location (legal description):

County(ies):

NE 1/4, of \_\_\_\_\_ 1/4, of \_\_\_\_\_ 1/4: Section: 8 Township: 8S Range: 1W  
SE 1/4, of SE 1/4, of \_\_\_\_\_ 1/4: Section: 7 Township: 8S Range: 1W  
SW 1/4, of SW 1/4, of \_\_\_\_\_ 1/4: Section: 36 Township: 8S Range: 5W

UTAH

CREAM & BLACK  
MARBLE MINES

2. A topographic base map showing the location of the proposed small mining operation must be submitted with this notice. A USGS 7.5 minute series map is preferred. The areas to be disturbed should be plotted in sufficient detail so that they can be located on the ground. It is recommended that the operator also plot and label any previous disturbances in the immediate vicinity that he is not responsible for.

## III. OPERATION PLAN (Rule R647-3-106)

1. Type of mining: Surface X Underground ☐

2. Mineral(s) to be mined: Limestone

3. Provide a brief description of the proposed mining operation and onsite processing facilities. open Pit Mining which would involve a D-8 cat to strip and pile dirt at edge of claim & possibly drill and blast if needed then a loader to load material.

New Road(s): Length \_\_\_\_\_ (ft) Width \_\_\_\_\_ (ft)

Total project surface acreage to be disturbed: all three  
1 1/2 (acres)

RECEIVED

JUN 23 1992

DIVISION OF  
OIL GAS & MININGIV. OPERATION AND RECLAMATION PRACTICES (Rule R647-3-107, 108 & 109)

The reclamation and operation obligation is to keep the area clean and safe, minimize hazards to public safety, return the land to a useful condition, and reestablish at least 70 percent of the premining vegetative ground cover. To accomplish this, the operator will need to perform reclamation concurrently, or at the completion (within one (1) year) of mining:

1. Keep the mining operation in a safe, clean, and environmentally stable condition.
2. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry.
3. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination.
4. Construct berms, fences, or barriers, when needed, above highwalls and excavations.
5. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.
6. Remove all waste or debris from stream channels.
7. Dispose of any trash, scrap metal, wood, machinery, and buildings.
8. Conduct mining activities so as to minimize erosion and control sediment.
9. Reclaim all roads that are not part of a permanent transportation system.
10. Stockpile topsoil and suitable overburden prior to mining.
11. Stabilize highwalls by backfilling or rounding to 45 degrees or less, where feasible; reshape the land to near its original contour, and redistribute the topsoil and suitable overburden.
12. Properly prepare seedbed to a depth of six inches by ripping, discing, or harrowing.
13. Reseed disturbed areas with adaptable species. (The Division recommends seeding 20 lbs./acre of native and introduced species of grass, forb, and browse seed, and will provide a specific species list if requested.)
14. Plant the seed with a rangeland or farm drill, or if broadcast seeded, harrow or rake the seed 1/4-1/2 inch into the soil - fall is the preferred time to seed.

*NOT MARKED*

V. VARIANCE REQUEST (Rule R647-3-110)

Yes ☐ No ☐

Any planned deviations from Rules R647-3-107, Operation Practices, R647-3-108, Hole Plugging Requirements, or R647-3-109, Reclamation Practices, as summarized above, should be identified below and justification given for the variance request(s).

<u>Item Number</u>	<u>Variance Request Justification</u>
_____	_____
_____	_____
_____	_____
_____	_____

VI. SIGNATURE REQUIREMENT

I hereby commit to conduct mining operations and to reclaim the aforementioned small mine as required by the Utah Mined Land Reclamation Act (40-8) and the rules as specified by the Board of Oil, Gas and Mining.

Signature of Operator/Applicant: \_\_\_\_\_

Name (typed or printed): \_\_\_\_\_

Title/Position (if applicable): \_\_\_\_\_

Date: \_\_\_\_\_

*Terry Bland*  
*Terry Bland*  
\_\_\_\_\_  
*6-23-92*

RECEIVED

JUN 23 1992

DIVISION OF  
OIL GAS & MINING

FILED

1992 JUN 23 AM 10:29


STATE OF UTAH  
DIVISION OF STATE LANDS

RECEIVED

JUN 23 1992

OFFICE OF THE  
DIVISION OF  
STATE LANDS





Mapped, edited, and published by the Geological Survey

Control by USGS

Topography from aerial photographs by multiplex methods



and by plane-table surveys 1950

Aerial photographs taken 1947

Polyconic projection. 1927 North American datum

10,000-foot grid based on Utah coordinate system,  
central zone

1000-meter Universal Transverse Mercator grid ticks.



CONT  
DOTTED LINES  
D/

FILED

1992 JUN 23 AM 10:29


STATE OF UTAH  
DIVISION OF STATE LANDS

RECEIVED

JUN 23 1992

DIVISION OF  
OIL GAS & MINING





S/049/020  
CREAM MARBLE  
NE 1/4 SEC 8  
T8S, R1W, SLB4M  
UTAH COUNTY

BLACK MARBLE  
SE 1/4 SE 1/4 SEC 7  
T8S, R1W, SLBM  
UTAH COUNTY

\*STATE LANDS  
IN BOTH CASES

PROVO MAP 1:100,000